

TRANSLYFT løfteborde, enkelt saks

Type	Kapacitet kg	Vandring mm	Bygge- højde, mm	Max. højde, mm	Længde mm	Bredde mm	Løfte ca.	Motor kW	Vægt kg
TR 500	500	550	160	710	900	650	8	0,37	95
TR 1000 A	1000	550	160	710	900	650	16	0,37	110
TR 1000	1000	550	160	710	900	900	16	0,37	120
TR 2000 ^	2000	550	200	750	900	900	13	0,75	160
TL 1000	1000	830	180	1010	1300	650	18	0,75	160
TL 1000 B	1000	830	180	1010	1300	800	18	0,75	170
TL 1000 F	1000	830	180	1010	1300	1000	18	0,75	185
TL 2000	2000	820	210	1030	1300	800	27	0,75	220
TL 2000 F	2000	820	210	1030	1300	1000	27	0,75	235
TL 3000	3000	800	240	1040	1300	1000	18	2,2	310
TB 1000	1000	1000	210	1210	1500	800	18	0,75	230
TB 1000 F	1000	1000	210	1210	1500	1000	18	0,75	240
TB 2000	2000	1000	210	1210	1500	800	20	2,2	255
TM 1500	1500	1100	230	1330	1700	900	22	0,75	300
TM 1500 B	1500	1100	230	1330	1700	1200	22	0,75	345
TM 3000	3000	1100	250	1350	1700	900	29	2,2	400
TM 3000 B	3000	1100	250	1350	1700	1200	29	2,2	420
TM 5000	5000	1100	350	1450	1700	900	42	2,2	700
TM 5000 B	5000	1100	350	1450	1700	1200	42	2,2	740
TA 1000 A	1000	1400	250	1650	2000	900	32	0,75	440
TA 1000	1000	1400	250	1650	2000	1200	32	0,75	485
TA 2000 A	2000	1400	250	1650	2000	900	35	2,2	475
TA 2000	2000	1400	250	1650	2000	1200	35	2,2	520
TA 2000 B	2000	1400	250	1650	2000	1500	35	2,2	530
TA 2000 R	2000	1400	260	1660	2000	2000	35	2,2	590

TRANSLYFT Ergo A/S

Tel. +45 98 86 49 00 • fax +45 98 86 49 09 • dybvad@translyft.com
www.translyft.com

15.01.2011

TRANSLYFT standard program



Lifting Technology

TA 4000 B	4000	1300	300	1600	2000	1500	54	3,0	880
TA 4000 R	4000	1300	300	1600	2000	2000	54	3,0	940
TS 2000	2000	1500	250	1750	2200	1200	35	2,2	535
TS 2000 B	2000	1500	250	1750	2200	1500	35	2,2	580
TS 4000	4000	1500	350	1850	2200	1200	54	3,0	840
TS 4000 B	4000	1500	350	1850	2200	1500	54	3,0	900
TT 1500	1500	1650	300	1950	2500	800	35	1,1	380
TT 1500 B	1500	1650	300	1950	2500	1200	35	1,1	450
TT 3000	3000	1600	350	1950	2500	1000	35	2,2	610
TT 3000 B	3000	1600	350	1950	2500	1500	35	2,2	830
TT 3000 R	3000	1600	350	1950	2500	2000	35	2,2	950
TT 6000	6000	1500	450	1950	2500	1300	55	4,0	1250
TT 10000	10000	800	500	1300	2500	2000	28	5,5	1870
TX 8000	8000	1600	600	2200	3000	1500	60	5,5	2200
TX 8000 R	8000	1600	600	2200	3000	2000	60	5,5	2360
TX 12000	12000	1600	800	2400	4000	2500	75	5,5	3600
TP 3000	3000	2000	400	2400	3100	1500	55	3,0	1100
TP 6000	6000	2000	500	2500	3100	1500	75	4,0	1600
TJ 6000	6000	3000	550	3550	5000	3000	72	5,5	3200
TJ 10000	10000	3000	800	3800	5000	2500	80	11	5000

^ fritstående hydraulikaggregat

TRANSLYFT løfteborde, dobbelt vertikal saks

Type	Kapacitet kg	Vandring mm	Bygge- højde, mm	Max. højde, mm	Længde mm	Bredde mm	Løft sek.	Motor kW	Vægt kg
TRD 500	500	1100	270	1370	900	650	18	0,37	140
TLD 1000	1000	1600	375	1975	1300	800	30	0,75	330

TRANSLYFT Ergo A/S

Tel. +45 98 86 49 00 • fax +45 98 86 49 09 • dylvad@translyft.com
www.translyft.com

15.01.2011

TRANSLYFT standard program



Lifting Technology

TLD 1000 F	1000	1600	375	1975	1300	1000	30	0,75	345
TLD 2000	2000	1600	400	2000	1300	900	32	2,2	395
TLD 2000 F	2000	1600	400	2000	1300	1000	32	2,2	430
TBD 1000	1000	1800	400	2200	1500	900	30	2,2	450
TBD 1000 B	1000	1800	400	2200	1500	1200	30	2,2	480
TBD 2000	2000	1800	400	2200	1500	900	42	2,2	500
TBD 2000 B	2000	1800	400	2200	1500	1200	42	2,2	515
TMD 1000	1000	2150	400	2550	1700	900	41	2,2	520
TMD 1000 B	1000	2150	400	2550	1700	1200	41	2,2	570
TMD 2000	2000	2150	400	2550	1700	900	59	2,2	545
TMD 2000 B	2000	2150	400	2550	1700	1200	59	2,2	600
TMD 3000	3000	2150	440	2590	1700	1200	65	4,0	750
TMD 3000 B	3000	2150	440	2590	1700	1500	65	4,0	790
TAD 1000	1000	2800	400	3200	2000	1200	49	2,2	635
TAD 2000	2000	2800	400	3200	2000	1200	54	3,0	660
TSD 1500	1500	3000	450	3450	2200	1300	50	2,2	1100
TTD 3000	3000	3000	600	3600	2500	1300	80	4,0	1500
TPD 10000	10000	4500	1100	5600	3800	2000	100	11	5000
TXD 4000	4000	4500	800	5300	4000	2000	80	7,5	3100
TXD 6000	6000	4500	1000	5500	4000	2500	90	11,0	4800



TRANSLYFT Ergo A/S

Tel. +45 98 86 49 00 • fax +45 98 86 49 09 • dymbvad@translyft.com
www.translyft.com



TRANSLYFT løfteborde, tripple vertikal saks

Type	Kapacitet kg	Vandring mm	Bygge- højde, mm	Max. højde, mm	Længde mm	Bredde mm	Løft sek.	Motor kW	Vægt kg
TRT 500	500	1500	400	1900	900	650	16	0,37	160
TLT 1500	1500	2400	550	2950	1300	900	40	2,2	460
TMT 1500	1500	3300	600	3900	1700	1200	65	2,2	1100
TMT 1500 B	1500	3300	600	3900	1700	1500	65	2,2	1150
TST 1500 ^	1500	4500	800	5300	2400	1500	42	5,5	1600
TST 2500	2500	4500	800	5300	2400	1500	44	7,5	2400

TRANSLYFT løfteborde, dobbelt horisontal saks

Type	Kapacitet kg	Vandring mm	Bygge- højde, mm	Max. højde, mm	Længde mm	Bredde mm	Løft sek.	Motor kW	Vægt kg
TRH 1000	1000	550	160	710	1800	650	16	0,37	210
TLH 2000 A	2000	830	180	1010	2600	650	36	0,75	290
TLH 2000	2000	830	180	1010	2600	800	36	0,75	310
TLH 4000	4000	820	210	1030	2600	800	54	0,75	440
TBH 2000	2000	1100	210	1210	3000	800	36	0,75	460
TBH 2000 F	2000	1100	210	1210	3000	1000	36	0,75	480
TMH 3000	3000	1100	230	1330	3400	900	44	0,75	550
TMH 3000 B	3000	1100	230	1330	3400	1200	44	0,75	590
TMH 6000	6000	1100	250	1350	3400	900	50	2,2	775
TAH 2000 A	2000	1400	250	1650	4000	900	35	2,2	755
TAH 2000	2000	1400	250	1650	4000	1200	35	2,2	845
TAH 4000 A	4000	1400	250	1650	4000	900	70	2,2	920
TAH 4000	4000	1400	250	1650	4000	1200	70	2,2	1010
TAH 8000 B ^	8000	1300	300	1600	4000	1500	108	3,0	1680

TRANSLYFT Ergo A/S

Tel. +45 98 86 49 00 • fax +45 98 86 49 09 • dylvad@translyft.com
www.translyft.com

15.01.2011

TRANSLYFT standard program



Lifting Technology

TAH 8000 R ^	8000	1300	300	1600	4000	2000	108	3,0	1800
TSH 4000	4000	1500	250	1750	4400	1200	70	2,2	920
TSH 8000	8000	1500	350	1850	4400	1200	108	3,0	1550
TTH 3000 B	3000	1650	300	1950	5000	1200	40	2,2	1100
TTH 6000	6000	1600	350	1950	5000	1300	55	3,0	2000

^ fritstående hydraulikaggregat



TRANSLYFT løfteborde, super lav excl. rampe

Type	Kapacitet kg	Vandring mm	Bygge-højde mm	Max. højde, mm	Længde mm	Bredde mm	Løft sek.	Motor kW	Vægt kg
TCB 600 K	600	545	85	630	1200	800	12	0,75	220
TCB 1000	1000	715	85	800	1500	800	12	0,75	250
TCB 1000 F	1000	715	85	800	1500	1000	12	0,75	275
TCB 1000 X	1000	895	85	980	1500	800	15	1,1	230
TCB 1000 XF	1000	895	85	980	1500	1000	15	1,1	255
TCB 1500	1500	715	85	800	1500	800	15	1,1	300
TCB 1500 F	1500	715	85	800	1500	1000	15	1,1	320
TCB 1500 X	1500	895	85	980	1500	800	19	1,1	270
TCB 1500 XF	1500	895	85	980	1500	1000	19	1,1	290
TCB 2000	2000	700	100	800	1500	800	16	1,1	300
TCB 2000 F	2000	700	100	800	1500	1000	16	1,1	350

TRANSLYFT Ergo A/S

Tel. +45 98 86 49 00 • fax +45 98 86 49 09 • dybvad@translyft.com
www.translyft.com

Rampe for TCB super lav

TCB 1000/1500 600 x 800 mm (L x B)

TCB 2000 800 x 800 mm (L x B)



TRANSLYFT løfteborde, superlav, dobbelt horisontal, excl. rampe

Type	Kapacitet kg	Vandring mm	Bygge- højde, mm	Max. højde, mm	Længde mm	Bredde mm	Løft sek.	Motor kW	Vægt kg
TCBH 1200	1200	545	85	630	2400	800	24	0,75	400
TCBH 2000	2000	715	85	800	3000	800	24	0,75	455
TCBH 2000 F	2000	715	85	800	3000	1000	24	0,75	505
TCBH 2000 X	2000	895	85	980	3000	800	30	1,1	415
TCBH 2000 XF	2000	895	85	980	3000	1000	30	1,1	465
TCBH 3000	3000	715	85	800	3000	800	30	1,1	560
TCBH 3000 F	3000	715	85	800	3000	1000	30	1,1	600
TCBH 3000 X	3000	895	85	980	3000	800	38	1,1	510
TCBH 3000 XF	3000	895	85	980	3000	1000	38	1,1	560

TRANSLYFT Ergo A/S

Tel. +45 98 86 49 00 • fax +45 98 86 49 09 • dybvad@translyft.com
www.translyft.com

TRANSLYFT løfteborde, superlav, E og U-form

Type	Kapacitet kg	Vandring mm	Bygge- højde, mm	Max. højde, mm	Længde mm	Bredde mm	Løft sek.	Motor kW	Vægt kg
TEB 600	600	715	85	800	1450	900	13	0,75	190
TUB 600 K	600	545	85	630	1200	1085	12	0,75	210
TUB 1000	1000	715	85	800	1450	1085	12	0,75	235
TUB 1000 X	1000	895	85	980	1450	1000	15	1,1	205
TUB 2000	2000	700	100	800	1500	1200	16	1,1	350

Alle superlave typer har fritstående hydraulikaggregat



TRANSLYFT palleløfter

TSL9-1000	standard EUR paller	20	0,75	250
TSLN-9	40° tilt, højre/venstre	20	0,75	295
TSL	søjle, uden ben og gafler	20	0,75	125



TRANSLYFT Ergo A/S

Aalborgvej 321 • 9352 Dybvad

Tel. +45 98 86 49 00 • fax +45 98 86 49 09 • dybvad@translyft.com

www.translyft.com